

**DATASHEET**

**RBM43 Rabbit Monoclonal Antibody(C1976)**

CAT. NO. AMA01588

**KEY FEATURES**

Target	RBM43	Source / Host	Rabbit
Reactivity	Human	Clonality	Monoclonal
Applications	WB	Conjugation	Unconjugated
Form / Buffer	Liquid in PBS, pH 7.3, 50% glycerol, 0.05% BSA, and 0.05% Proclin300.	Storage	at-20°C

**BACKGROUND**

RNA-binding protein 43 (RBM43), also known as RNA-binding motif protein 43.

**APPLICATION**

To ensure optimal assay performance, AREX recommends conducting reagent titration tailored to each testing system for optimal detection results.

WB	1:500 - 1:1000
----	----------------

\*Results are sample-specific. Please refer to your local assay conditions and test parameters for reference.

**PRODUCT OVERVIEW**


Description	Recombinant rabbit monoclonal antibody to RBM43
Specificity	Recognizes endogenous levels of RBM43 protein
Antibody Type	Primary antibody, Recombinant
Immunogen	Recombinant fusion protein of human RBM43. The exact sequence is proprietary.
Purification	The antibody was purified by immunogen affinity chromatography.
Molecular Weight	Predicted: 40 kD; Observed: 39 kD
Form/Buffer	Liquid in PBS, pH 7.3, 50% glycerol, 0.05% BSA, and 0.05% Proclin300.
Alternative Names	C2orf38; RNA-binding protein 43; RNA-binding motif protein 43
Gene Symbol	RBM43
Entrez Gene	375287(Human)
SwissProt	Q6ZSC3(Human)

\*AREX continuously optimizes our products. Webpage content may not reflect the latest updates. For inquiries, please contact [info@arexbio.com](mailto:info@arexbio.com) or your local distributor.

\*Clone Number, Reactivity, Source/Host and Clonality can be found in the product name and Key Features section above.

**DATASHEET****RBM43 Rabbit Monoclonal Antibody(C1976)**

CAT. NO. AMA01588

**DATA**

Western blot analysis of RBM43 expression in A549 (A) whole cell lysates. (Predicted band size: 40 kD; Observed band size: 39 kD)

**STORAGE**

Store at 4°C short term. For long term storage, store at -20°C, avoiding freeze/thaw cycles.

**NOTE**

For Research Use Only. Not for diagnostic, therapeutics, prophylactic or in vivo use.