

**DATASHEET**

**OCT1 Mouse Monoclonal Antibody(C2171)**

CAT. NO. AMA01783

**KEY FEATURES**

Target	OCT1	Source / Host	Mouse
Reactivity	Human	Clonality	Monoclonal
Applications	WB, IHC	Conjugation	Unconjugated
Form / Buffer	Liquid in 0.42% Potassium phosphate, 0.87% Sodium chloride, pH 7.3, 30% glycerol, and 0.01% sodium azide.		Storage at-20°C

**BACKGROUND**

Transcription factor that binds to the octamer motif (5'-ATTGCAT-3') and activates the promoters of the genes for some small nuclear RNAs (snRNA) and of genes such as those for histone H2B and immunoglobulins. Modulates transcription transactivation by NR3C1, AR and PGR.

**APPLICATION**

To ensure optimal assay performance, AREX recommends conducting reagent titration tailored to each testing system for optimal detection results.

WB	1:500 - 1:2000
IHC	1:50 - 1:200

\*Results are sample-specific. Please refer to your local assay conditions and test parameters for reference.

**PRODUCT OVERVIEW**

Description	Mouse monoclonal antibody to OCT1
Specificity	Recognizes endogenous levels of OCT1 protein.
Antibody Type	Primary antibody
Immunogen	Recombinant human OCT1 protein. The exact sequence is proprietary.
Purification	Affinity chromatography
Molecular Weight	Predicted: 76; Observed: 89 kD
Form/Buffer	Liquid in 0.42% Potassium phosphate, 0.87% Sodium chloride, pH 7.3, 30% glycerol, and 0.01% sodium azide.
Alternative Names	OCT1; OTF1; POU domain class 2 transcription factor 1; NF-A1; Octamer-binding protein 1; Oct-1; Octamer-binding transcription factor 1; OTF-1
Gene Symbol	POU2F1
Entrez Gene	5451; 5452(Human)
SwissProt	P14859; P09086(Human)

\*AREX continuously optimizes our products. Webpage content may not reflect the latest updates. For inquiries, please contact [info@arexbio.com](mailto:info@arexbio.com) or your local distributor.


\*Clone Number, Reactivity, Source/Host and Clonality can be found in the product name and Key Features section above.

**DATASHEET**


**OCT1 Mouse Monoclonal Antibody(C2171)**

CAT. NO. AMA01783

**DATA**



Western blot analysis of OCT1 expression in HeLa (A), Jurkat (B), HepG2 (C) whole cell lysates. (Predicted band size: 76; 51 kD; Observed band size: 89 kD)



Immunohistochemical analysis of OCT1 staining in human tonsil formalin fixed paraffin embedded tissue section. The section was pre-treated using heat mediated antigen retrieval with sodium citrate buffer (pH 6.0). The section was then incubated with the antibody at room temperature and detected using an HRP conjugated compact polymer system. DAB was used as the chromogen. The section was then counterstained with haematoxylin and mounted with DPX.

**STORAGE**

Store at 4°C short term. For long term storage, store at -20°C, avoiding freeze/thaw cycles.

**NOTE**

For Research Use Only. Not for diagnostic, therapeutics, prophylactic or in vivo use.