

DATASHEET

CDX2 Mouse Monoclonal Antibody(C3351)

CAT. NO. AMA02963

KEY FEATURES

Target	CDX2	Source / Host	Mouse
Reactivity	Human, Mouse, Monkey	Clonality	Monoclonal
Applications	WB, IF/ICC, IP	Conjugation	Unconjugated
Form / Buffer	Liquid in PBS containing 50% glycerol, 0.5% BSA and 0.02% sodium azide, pH 7.3.	Storage	at-20°C

BACKGROUND

Transcription factor which regulates the transcription of multiple genes expressed in the intestinal epithelium . Binds to the promoter of the intestinal sucrase-isomaltase SI and activates SI transcription . Binds to the DNA sequence 5'-ATAAAAATTAT-3' in the promoter region of VDR and activates VDR transcription . Binds to and activates transcription of LPH . Activates transcription of CLDN2 and intestinal mucin MUC2 . Binds to the 5'-AATTTTTTACAACACCT-3' DNA sequence in the promoter region of CA1 and activates CA1 transcription . Important in broad range of functions from early differentiation to maintenance of the intestinal epithelial lining of both the small and large intestine. Binds preferentially to methylated DNA .

APPLICATION

To ensure optimal assay performance, AREX recommends conducting reagent titration tailored to each testing system for optimal detection results.

WB	1:500 - 1:1000
IF/ICC	1:50 - 1:100
IP	1:10 - 1:50

*Results are sample-specific. Please refer to your local assay conditions and test parameters for reference.

PRODUCT OVERVIEW

Description	Mouse monoclonal antibody to CDX2
Specificity	Recognizes endogenous levels of CDX2 protein.
Antibody Type	Primary antibody
Immunogen	Purified recombinant human CDX2 protein fragments expressed in E.coli
Purification	The antibody was purified by immunogen affinity chromatography.
Molecular Weight	Predicted: 34 kD; Observed: 34 kD
Form/Buffer	Liquid in PBS containing 50% glycerol, 0.5% BSA and 0.02% sodium azide, pH 7.3.
Alternative Names	CDX3; Homeobox protein CDX-2; CDX-3; Caudal-type homeobox protein 2
Gene Symbol	CDX2
Entrez Gene	1045(Human); 12591(Mouse)
SwissProt	Q99626(Human); P43241(Mouse)

*AREX continuously optimizes our products. Webpage content may not reflect the latest updates. For inquiries, please contact info@arexbio.com or your local distributor.


*Clone Number, Reactivity, Source/Host and Clonality can be found in the product name and Key Features section above.

DATASHEET


CDX2 Mouse Monoclonal Antibody(C3351)

CAT. NO. AMA02963

DATA



Western blot analysis of CDX2 expression in HeLa (A), Caco2 (B), C2C12 (C), SW480 (D), COS7 (E), HepG2 (F), NIH3T3 (G) whole cell lysates. (Predicted band size: 34 kD; Observed band size: 34 kD)



Immunofluorescent analysis of CDX2 staining in HeLa cells. Formalin-fixed cells were permeabilized with 0.1% Triton X-100 in TBS for 5-10 minutes and blocked with 3% BSA-PBS for 30 minutes at room temperature. Cells were probed with the primary antibody in 3% BSA-PBS and incubated overnight at 4 °C in a humidified chamber. Cells were washed with PBST and incubated with a AREX® Fluor 488 -conjugated secondary antibody (green) in PBS at room temperature in the dark.

STORAGE

Store at 4°C short term. For long term storage, store at -20°C, avoiding freeze/thaw cycles.

NOTE

For Research Use Only. Not for diagnostic, therapeutics, prophylactic or in vivo use.