

DATASHEET

Calpain 1 Mouse Monoclonal Antibody(C3626)

CAT. NO. AMA03238

KEY FEATURES

Target	Calpain 1	Source / Host	Mouse
Reactivity	Human	Clonality	Monoclonal
Applications	WB, IHC, FC	Conjugation	Unconjugated
Form / Buffer	Mouse IgG1 kappa. Liquid in PBS, pH 7.3, 30% glycerol, and 0.01% sodium azide.	Storage	at-20°C

BACKGROUND

Calcium-regulated non-lysosomal thiol-protease which catalyzes limited proteolysis of substrates involved in cytoskeletal remodeling and signal transduction . Proteolytically cleaves CTBP1 at 'Asn-375', 'Gly-387' and 'His-409' . Cleaves and activates caspase-7 (CASP7) .

APPLICATION

To ensure optimal assay performance, AREX recommends conducting reagent titration tailored to each testing system for optimal detection results.

WB	1:500 - 1:1000
IHC	1:50 - 1:200
FC	1:10 - 1:50

*Results are sample-specific. Please refer to your local assay conditions and test parameters for reference.

PRODUCT OVERVIEW

Description	Mouse monoclonal antibody to Calpain 1
Specificity	Recognizes endogenous levels of Calpain 1 protein.
Antibody Type	Primary antibody
Immunogen	KLH-conjugated synthetic peptide of human Calpain 1. The exact sequence is proprietary.
Purification	This antibody is purified through a protein G column.
Molecular Weight	Predicted: 81 kD; Observed: 82 kD
Form/Buffer	Mouse IgG1 kappa. Liquid in PBS, pH 7.3, 30% glycerol, and 0.01% sodium azide.
Alternative Names	CANPL1; Calpain-1 catalytic subunit; Calcium-activated neutral proteinase 1; CANP 1; Calpain mu-type; Calpain-1 large subunit; Cell proliferation-inducing gene 30 protein; Micromolar-calpain; muCANP
Gene Symbol	CAPN1
Entrez Gene	823(Human)
SwissProt	P07384(Human)

*AREX continuously optimizes our products. Webpage content may not reflect the latest updates. For inquiries, please contact info@arexbio.com or your local distributor.


*Clone Number, Reactivity, Source/Host and Clonality can be found in the product name and Key Features section above.

DATASHEET


Calpain 1 Mouse Monoclonal Antibody(C3626)

CAT. NO. AMA03238


DATA



Western blot analysis of Calpain 1 expression in A431 (A), A549 (B), MCF7 (C), U251 MG (D) whole cell lysates. (Predicted band size: 81 kD; Observed band size: 82 kD)



Immunohistochemical analysis of Calpain 1 staining in human kidney formalin fixed paraffin embedded tissue section. The section was pre-treated using heat mediated antigen retrieval with sodium citrate buffer (pH 6.0). The section was then incubated with the antibody at room temperature and detected using an HRP conjugated compact polymer system. DAB was used as the chromogen. The section was then counterstained with haematoxylin and mounted with DPX.



Flow cytometric analysis of HeLa cells using Anti-Calpain 1 Antibody. The cells were fixed with 2% paraformaldehyde (10 min) and then permeabilized with 90% methanol for 10 min. The cells were incubated in 2% bovine serum albumin to block non-specific protein-protein interactions followed by the antibody at 37 °C for 60 min. The secondary antibody Goat Anti-Mouse IgG (H&L) - AREX® Fluor 488 was incubated at 37 °C for 40 min. Isotype control antibody (blue line) was used under the same condition.

STORAGE

Store at 4°C short term. For long term storage, store at -20°C, avoiding freeze/thaw cycles.

NOTE

For Research Use Only. Not for diagnostic, therapeutics, prophylactic or in vivo use.