

DATASHEET

CD155 Mouse Monoclonal Antibody(SKII.4)

CAT. NO. AMA03854

KEY FEATURES

Target	CD155	Source / Host	Mouse
Reactivity	Human	Clonality	Monoclonal
Applications	IF/ICC, FC	Conjugation	Unconjugated
Form / Buffer	Mouse IgG1 kappa. Liquid in PBS, pH 7.3, and 0.02% sodium azide.	Storage	at-20°C

BACKGROUND

Mediates NK cell adhesion and triggers NK cell effector functions. Binds two different NK cell receptors: CD96 and CD226. These interactions accumulates at the cell-cell contact site, leading to the formation of a mature immunological synapse between NK cell and target cell. This may trigger adhesion and secretion of lytic granules and IFN-gamma and activate cytotoxicity of activated NK cells. May also promote NK cell-target cell modular exchange, and PVR transfer to the NK cell. This transfer is more important in some tumor cells expressing a lot of PVR, and may trigger fratricide NK cell activation, providing tumors with a mechanism of immunoevasion. Plays a role in mediating tumor cell invasion and migration.

APPLICATION

To ensure optimal assay performance, AREX recommends conducting reagent titration tailored to each testing system for optimal detection results.

PRODUCT OVERVIEW

Description	Mouse monoclonal antibody to CD155
Specificity	Recognizes human CD155
Antibody Type	Primary antibody
Immunogen	SK-N-S1 human neuroblastoma cells
Purification	The antibody was purified by affinity chromatography.
Form/Buffer	Mouse IgG1 kappa. Liquid in PBS, pH 7.3, and 0.02% sodium azide.
Alternative Names	PVS; Poliovirus receptor; Nectin-like protein 5; NECL-5; CD155
Gene Symbol	PVR
Entrez Gene	5817(Human)
SwissProt	P15151(Human)

*AREX continuously optimizes our products. Webpage content may not reflect the latest updates. For inquiries, please contact info@arexbio.com or your local distributor.

*Clone Number, Reactivity, Source/Host and Clonality can be found in the product name and Key Features section above.

DATASHEET**CD155 Mouse Monoclonal Antibody(SKII.4)**

CAT. NO. AMA03854

| DATA**| STORAGE**

Store at 4°C short term. For long term storage, store at -20°C, avoiding freeze/thaw cycles.

| NOTE

For Research Use Only. Not for diagnostic, therapeutics, prophylactic or in vivo use.