

**DATASHEET**

**NET (Phospho-S357) Rabbit Polyclonal Antibody**

CAT. NO. APA08602

**KEY FEATURES**

|               |   |               |              |         |
|---------------|---|---------------|--------------|---------|
| Target        | NET (Phospho-S357)  | Source / Host | Rabbit       |         |
| Reactivity    | Human, Mouse, Rat, Bovine, Zebrafish  | Clonality     | Polyclonal   |         |
| Applications  | WB, IHC, IF/ICC   | Conjugation   | Unconjugated |         |
| Form / Buffer | Liquid in 0.42% Potassium phosphate, 0.87% Sodium chloride, pH 7.3, 30% glycerol, and 0.01% sodium azide. |               | Storage      | at-20°C |

**BACKGROUND**

May be a negative regulator of transcription, but can activate transcription when coexpressed with Ras, Src or Mos. Forms a ternary complex with the serum response factor and the ETS and SRF motifs of the Fos serum response element.

**APPLICATION**

To ensure optimal assay performance, AREX recommends conducting reagent titration tailored to each testing system for optimal detection results.

|        |                |
|--------|----------------|
| WB     | 1:500 - 1:1000 |
| IHC    | 1:50 - 1:100   |
| IF/ICC | 1:50 - 1:200   |

\*Results are sample-specific. Please refer to your local assay conditions and test parameters for reference.

**PRODUCT OVERVIEW**

|                   |   |
|-------------------|---|
| Description       | Rabbit polyclonal antibody to NET (Phospho-S357)  |
| Specificity       | Recognizes endogenous levels of NET protein only when phosphorylated at S357.   |
| Antibody Type     | Primary antibody  |
| Immunogen         | KLH-conjugated synthetic phosphopeptide corresponding to residues surrounding S357 of human NET protein. The exact sequence is proprietary.                                 |
| Purification      | The antibody was purified by immunogen affinity chromatography.   |
| Molecular Weight  | Predicted: 44 kD; Observed: 62 kD   |
| Form/Buffer       | Liquid in 0.42% Potassium phosphate, 0.87% Sodium chloride, pH 7.3, 30% glycerol, and 0.01% sodium azide.   |
| Alternative Names | NET; SAP2; ETS domain-containing protein Elk-3; ETS-related protein ERP; ETS-related protein NET; Serum response factor accessory protein 2; SAP-2; SRF accessory protein 2 |
| Gene Symbol       | ELK3  |
| Entrez Gene       | 2004(Human); 13713(Mouse)   |
| SwissProt         | P41970(Human); P41971(Mouse)  |

\*AREX continuously optimizes our products. Webpage content may not reflect the latest updates. For inquiries, please contact [info@arexbio.com](mailto:info@arexbio.com) or your local distributor.


\*Clone Number, Reactivity, Source/Host and Clonality can be found in the product name and Key Features section above.

**DATASHEET**


**NET (Phospho-S357) Rabbit Polyclonal Antibody**

CAT. NO. APA08602


**DATA**



Western blot analysis of NET (Phospho-S357) expression in zebrafish (A) whole cell lysates. (Predicted band size: 44 kD; Observed band size: 62 kD)



Immunohistochemical analysis of NET (Phospho-S357) staining in human brain formalin fixed paraffin embedded tissue section. The section was pre-treated using heat mediated antigen retrieval with sodium citrate buffer (pH 6.0). The section was then incubated with the antibody at room temperature and detected using an HRP conjugated compact polymer system. DAB was used as the chromogen. The section was then counterstained with haematoxylin and mounted with DPX.



Immunofluorescent analysis of NET (Phospho-S357) staining in HUVEC cells. Formalin-fixed cells were permeabilized with 0.1% Triton X-100 in TBS for 5-10 minutes and blocked with 3% BSA-PBS for 30 minutes at room temperature. Cells were probed with the primary antibody in 3% BSA-PBS and incubated overnight at 4 °C in a humidified chamber. Cells were washed with PBST and incubated with a DyLight 594-conjugated secondary antibody (red) in PBS at room temperature in the dark.

**STORAGE**

Store at 4°C short term. For long term storage, store at -20°C, avoiding freeze/thaw cycles.

**NOTE**

For Research Use Only. Not for diagnostic, therapeutics, prophylactic or in vivo use.