

DATASHEET

CaMK2 alpha/beta/delta (Phospho-T305) Rabbit Polyclonal Antibody

CAT. NO. APA10904

KEY FEATURES

Target	CaMK2 alpha/beta/delta (Phospho-T305)	Source / Host	Rabbit
Reactivity	Human, Mouse, Rat, Bovine, Chicken, Pig, Rabbit, Zebrafish	Clonality	Polyclonal
Applications	WB, IHC	Conjugation	Unconjugated
Form / Buffer	Liquid in 0.42% Potassium phosphate, 0.87% Sodium chloride, pH 7.3, 30% glycerol, and 0.01% sodium azide.	Storage	at-20°C

BACKGROUND

Calcium/calmodulin-dependent protein kinase that functions autonomously after Ca(2+)/calmodulin-binding and autophosphorylation, and is involved in various processes, such as synaptic plasticity, neurotransmitter release and long-term potentiation /calmodulin-binding and autophosphorylation, and is involved in various processes, such as synaptic plasticity, neurotransmitter release and long-term potentiation . Member of the NMDAR signaling complex in excitatory synapses, it regulates NMDAR-dependent potentiation of the AMPAR and therefore excitatory synaptic transmission . Regulates dendritic spine development . Also regulates the migration of developing neurons . Phosphorylates the transcription factor FOXO3 to activate its transcriptional activity .

APPLICATION

To ensure optimal assay performance, AREX recommends conducting reagent titration tailored to each testing system for optimal detection results.

WB	1:500 - 1:1000
IHC	1:50 - 1:100

*Results are sample-specific. Please refer to your local assay conditions and test parameters for reference.

PRODUCT OVERVIEW

Description	Rabbit polyclonal antibody to CaMK2 alpha/beta/delta (Phospho-T305)
Specificity	Recognizes endogenous levels of CaMK2 alpha/beta/delta protein only when phosphorylated at T305.
Antibody Type	Primary antibody
Immunogen	KLH-conjugated synthetic phosphopeptide corresponding to residues surrounding T305 of human CaMK2 alpha/beta/delta protein. The exact sequence is proprietary.
Purification	The antibody was purified by immunogen affinity chromatography.
Molecular Weight	Predicted: 54; Observed: 50 kD
Form/Buffer	Liquid in 0.42% Potassium phosphate, 0.87% Sodium chloride, pH 7.3, 30% glycerol, and 0.01% sodium azide.
Alternative Names	CAMK2A; CAMKA; KIAA0968; Calcium/calmodulin-dependent protein kinase type II subunit alpha; CaM kinase II subunit alpha; CaMK-II subunit alpha; CAMK2B; CAM2; CAMK2; CAMKB; Calcium/calmodulin-dependent protein kinase type II subunit beta; CaM kinase II subunit beta; CaMK-II subunit beta; CAMK2D; CAMKD; Calcium/calmodulin-dependent protein kinase type II subunit delta; CaM kinase II subunit delta; CaMK-II subunit delta
Gene Symbol	CAMK2A
Entrez Gene	815; 816; 817(Human); 12322; 12323; 108058(Mouse); 25400; 24245; 24246(Rat)
SwissProt	Q9UQM7; Q13554; Q13557(Human); P11798; P28652; Q6PHZ2(Mouse); P11275; P08413; P15791(Rat)


*AREX continuously optimizes our products. Webpage content may not reflect the latest updates. For inquiries, please contact info@arexbio.com or your local distributor.

DATASHEET


CaMK2 alpha/beta/delta (Phospho-T305) Rabbit Polyclonal Antibody

CAT. NO. APA10904

DATA



Western blot analysis of CaMK2 alpha/beta/delta (Phospho-T305) expression in HEK293T (A), U87MG (B), A549 (C), rat brain (D) whole cell lysates. (Predicted band size: 54; 72; 56 kD; Observed band size: 50 kD)



Immunohistochemical analysis of CaMK2 alpha/beta/delta (Phospho-T305) staining in human brain formalin fixed paraffin embedded tissue section. The section was pre-treated using heat mediated antigen retrieval with sodium citrate buffer (pH 6.0). The section was then incubated with the antibody at room temperature and detected using an HRP conjugated compact polymer system. DAB was used as the chromogen. The section was then counterstained with haematoxylin and mounted with DPX.

STORAGE

Store at 4°C short term. For long term storage, store at -20°C, avoiding freeze/thaw cycles.

NOTE

For Research Use Only. Not for diagnostic, therapeutics, prophylactic or in vivo use.