

DATASHEET

Annexin A4 Rabbit Polyclonal Antibody

CAT. NO. APA13309

KEY FEATURES

Target	Annexin A4	Source / Host	Rabbit
Reactivity	Human, Mouse, Rat	Clonality	Polyclonal
Applications	WB, IHC, IF/ICC	Conjugation	Unconjugated
Form / Buffer	Liquid in 0.42% Potassium phosphate, 0.87% Sodium chloride, pH 7.3, 30% glycerol, and 0.01% sodium azide.		Storage at -20°C

BACKGROUND

Calcium/phospholipid-binding protein which promotes membrane fusion and is involved in exocytosis.

APPLICATION

To ensure optimal assay performance, AREX recommends conducting reagent titration tailored to each testing system for optimal detection results.

WB	1:500 - 1:2000
IHC	1:50 - 1:200
IF/ICC	1:50 - 1:200

*Results are sample-specific. Please refer to your local assay conditions and test parameters for reference.

PRODUCT OVERVIEW

Description	Rabbit polyclonal antibody to Annexin A4
Specificity	Recognizes endogenous levels of Annexin A4 protein.
Antibody Type	Primary antibody
Immunogen	Recombinant fusion protein of human Annexin A4
Purification	The antibody was purified by immunogen affinity chromatography.
Molecular Weight	Predicted: 27; Observed: 36 kD
Form/Buffer	Liquid in 0.42% Potassium phosphate, 0.87% Sodium chloride, pH 7.3, 30% glycerol, and 0.01% sodium azide.
Alternative Names	ANX4; Annexin A4; 35-beta calcimedin; Annexin IV; Annexin-4; Carbohydrate-binding protein p33/p41; Chromobindin-4; Endonexin I; Lipocortin IV; P32.5; PP4-X; Placental anticoagulant protein II; PAP-II; Protein II
Gene Symbol	ANXA4
Entrez Gene	307(Human); 11746(Mouse)
SwissProt	P09525(Human); P97429(Mouse); P55260(Rat)

*AREX continuously optimizes our products. Webpage content may not reflect the latest updates. For inquiries, please contact info@arexbio.com or your local distributor.


*Clone Number, Reactivity, Source/Host and Clonality can be found in the product name and Key Features section above.

DATASHEET


Annexin A4 Rabbit Polyclonal Antibody

CAT. NO. APA13309


DATA



Western blot analysis of Annexin A4 expression in A549 (A), HepG2 (B), mouse liver (C), mouse lung (D), rat kidney (E) whole cell lysates. (Predicted band size: 27; 35 kD; Observed band size: 36 kD)



Immunohistochemical analysis of Annexin A4 staining in human liver cancer formalin fixed paraffin embedded tissue section. The section was pre-treated using heat mediated antigen retrieval with sodium citrate buffer (pH 6.0). The section was then incubated with the antibody at room temperature and detected using an HRP conjugated compact polymer system. DAB was used as the chromogen. The section was then counterstained with haematoxylin and mounted with DPX.



Immunofluorescent analysis of Annexin A4 staining in A549 cells. Formalin-fixed cells were permeabilized with 0.1% Triton X-100 in TBS for 5-10 minutes and blocked with 3% BSA-PBS for 30 minutes at room temperature. Cells were probed with the primary antibody in 3% BSA-PBS and incubated overnight at 4 °C in a humidified chamber. Cells were washed with PBST and incubated with a DyLight 594-conjugated secondary antibody (red) in PBS at room temperature in the dark.

STORAGE

Store at 4°C short term. For long term storage, store at -20°C, avoiding freeze/thaw cycles.

NOTE

For Research Use Only. Not for diagnostic, therapeutics, prophylactic or in vivo use.