

DATASHEET

BCL2L13 Rabbit Polyclonal Antibody

CAT. NO. APA15154

KEY FEATURES

Target	BCL2L13	Source / Host	Rabbit
Reactivity	Human, Mouse, Rat	Clonality	Polyclonal
Applications	WB	Conjugation	Unconjugated
Form / Buffer	Liquid in 0.42% Potassium phosphate, 0.87% Sodium chloride, pH 7.3, 30% glycerol, and 0.01% sodium azide.		Storage at -20°C

BACKGROUND

May promote the activation of caspase-3 and apoptosis.

APPLICATION

To ensure optimal assay performance, AREX recommends conducting reagent titration tailored to each testing system for optimal detection results.

WB	1:500 - 1:1000
----	----------------

*Results are sample-specific. Please refer to your local assay conditions and test parameters for reference.

PRODUCT OVERVIEW


Description	Rabbit polyclonal antibody to BCL2L13
Specificity	Recognizes endogenous levels of BCL2L13 protein
Antibody Type	Primary antibody
Immunogen	Recombinant fusion protein of human BCL2L13. The exact sequence is proprietary.
Purification	The antibody was purified by immunogen affinity chromatography.
Molecular Weight	Predicted: 22; Observed: 48 kD
Form/Buffer	Liquid in 0.42% Potassium phosphate, 0.87% Sodium chloride, pH 7.3, 30% glycerol, and 0.01% sodium azide.
Alternative Names	MIL1; Bcl-2-like protein 13; Bcl2-L-13; Bcl-rambo; Protein Mil1
Gene Symbol	BCL2L13
Entrez Gene	23786(Human); 94044(Mouse)
SwissProt	Q9BXK5(Human); P59017(Mouse)

*AREX continuously optimizes our products. Webpage content may not reflect the latest updates. For inquiries, please contact info@arexbio.com or your local distributor.

*Clone Number, Reactivity, Source/Host and Clonality can be found in the product name and Key Features section above.

DATASHEET**BCL2L13 Rabbit Polyclonal Antibody**

CAT. NO. APA15154

DATA

Western blot analysis of BCL2L13 expression in Jurkat (A) whole cell lysates. (Predicted band size: 22; 34; 52 kD; Observed band size: 48 kD)

STORAGE

Store at 4°C short term. For long term storage, store at -20°C, avoiding freeze/thaw cycles.

NOTE

For Research Use Only. Not for diagnostic, therapeutics, prophylactic or in vivo use.