

DATASHEET

WDR21 Rabbit Polyclonal Antibody

CAT. NO. APA15417

KEY FEATURES

Target	WDR21	Source / Host	Rabbit
Reactivity	Human	Clonality	Polyclonal
Applications	WB	Conjugation	Unconjugated
Form / Buffer	Liquid in 0.42% Potassium phosphate, 0.87% Sodium chloride, pH 7.3, 30% glycerol, and 0.01% sodium azide.		Storage at -20°C

BACKGROUND

May function as a substrate receptor for CUL4-DDB1 E3 ubiquitin-protein ligase complex.

APPLICATION

To ensure optimal assay performance, AREX recommends conducting reagent titration tailored to each testing system for optimal detection results.

WB	1:500 - 1:2000
----	----------------

*Results are sample-specific. Please refer to your local assay conditions and test parameters for reference.

PRODUCT OVERVIEW


Description	Rabbit polyclonal antibody to WDR21
Specificity	Recognizes endogenous levels of WDR21 protein
Antibody Type	Primary antibody
Immunogen	Recombinant fusion protein of human WDR21. The exact sequence is proprietary.
Purification	The antibody was purified by immunogen affinity chromatography.
Molecular Weight	Predicted: 44; Observed: 56 kD
Form/Buffer	Liquid in 0.42% Potassium phosphate, 0.87% Sodium chloride, pH 7.3, 30% glycerol, and 0.01% sodium azide.
Alternative Names	WDR21; WDR21A; DDB1- and CUL4-associated factor 4; WD repeat-containing protein 21A
Gene Symbol	DCAF4
Entrez Gene	26094(Human)
SwissProt	Q8WV16(Human)

*AREX continuously optimizes our products. Webpage content may not reflect the latest updates. For inquiries, please contact info@arexbio.com or your local distributor.

*Clone Number, Reactivity, Source/Host and Clonality can be found in the product name and Key Features section above.

DATASHEET**WDR21 Rabbit Polyclonal Antibody**

CAT. NO. APA15417

DATA

Western blot analysis of WDR21 expression in U251MG (A) whole cell lysates. (Predicted band size: 44; 48; 54; 55 kD; Observed band size: 56 kD)

STORAGE

Store at 4°C short term. For long term storage, store at -20°C, avoiding freeze/thaw cycles.

NOTE

For Research Use Only. Not for diagnostic, therapeutics, prophylactic or in vivo use.