

DATASHEET

DEK Rabbit Polyclonal Antibody

CAT. NO. APA15436

KEY FEATURES

Target	DEK	Source / Host	Rabbit
Reactivity	Human, Mouse, Rat	Clonality	Polyclonal
Applications	WB	Conjugation	Unconjugated
Form / Buffer	Liquid in 0.42% Potassium phosphate, 0.87% Sodium chloride, pH 7.3, 30% glycerol, and 0.01% sodium azide.		Storage at -20°C

BACKGROUND

Involved in chromatin organization.

APPLICATION

To ensure optimal assay performance, AREX recommends conducting reagent titration tailored to each testing system for optimal detection results.

WB	1:500 - 1:2000
----	----------------

*Results are sample-specific. Please refer to your local assay conditions and test parameters for reference.

PRODUCT OVERVIEW


Description	Rabbit polyclonal antibody to DEK
Specificity	Recognizes endogenous levels of DEK protein
Antibody Type	Primary antibody
Immunogen	Recombinant fusion protein of human DEK. The exact sequence is proprietary.
Purification	The antibody was purified by immunogen affinity chromatography.
Molecular Weight	Predicted: 38; Observed: 43 kD
Form/Buffer	Liquid in 0.42% Potassium phosphate, 0.87% Sodium chloride, pH 7.3, 30% glycerol, and 0.01% sodium azide.
Alternative Names	Protein DEK
Gene Symbol	DEK
Entrez Gene	7913(Human); 110052(Mouse); 306817(Rat)
SwissProt	P35659(Human); Q7TNV0(Mouse); Q6AXS3(Rat)

*AREX continuously optimizes our products. Webpage content may not reflect the latest updates. For inquiries, please contact info@arexbio.com or your local distributor.

*Clone Number, Reactivity, Source/Host and Clonality can be found in the product name and Key Features section above.

DATASHEET**DEK Rabbit Polyclonal Antibody**

CAT. NO. APA15436

DATA

Western blot analysis of DEK expression in U251MG (A), mouse kidney (B), rat brain (C) whole cell lysates. (Predicted band size: 38; 42 kD; Observed band size: 43 kD)

STORAGE

Store at 4°C short term. For long term storage, store at -20°C, avoiding freeze/thaw cycles.

NOTE

For Research Use Only. Not for diagnostic, therapeutics, prophylactic or in vivo use.