

**DATASHEET**

**EEF1E1 Rabbit Polyclonal Antibody**

CAT. NO. APA15521

**KEY FEATURES**

Target	EEF1E1	Source / Host	Rabbit
Reactivity	Human, Mouse, Rat	Clonality	Polyclonal
Applications	WB, IF/ICC	Conjugation	Unconjugated
Form / Buffer	Liquid in 0.42% Potassium phosphate, 0.87% Sodium chloride, pH 7.3, 30% glycerol, and 0.01% sodium azide.		Storage at -20°C

**BACKGROUND**

Positive modulator of ATM response to DNA damage.

**APPLICATION**

To ensure optimal assay performance, AREX recommends conducting reagent titration tailored to each testing system for optimal detection results.

WB	1:500 - 1:2000
IF/ICC	1:50 - 1:200

\*Results are sample-specific. Please refer to your local assay conditions and test parameters for reference.

**PRODUCT OVERVIEW**

Description	Rabbit polyclonal antibody to EEF1E1
Specificity	Recognizes endogenous levels of EEF1E1 protein
Antibody Type	Primary antibody
Immunogen	KLH-conjugated synthetic peptide of human EEF1E1. The exact sequence is proprietary.
Purification	The antibody was purified by immunogen affinity chromatography.
Molecular Weight	Predicted: 15; Observed: 20 kD
Form/Buffer	Liquid in 0.42% Potassium phosphate, 0.87% Sodium chloride, pH 7.3, 30% glycerol, and 0.01% sodium azide.
Alternative Names	AIMP3; P18; Eukaryotic translation elongation factor 1 epsilon-1; Aminoacyl tRNA synthetase complex-interacting multifunctional protein 3; Elongation factor p18; Multisynthase complex auxiliary component p18
Gene Symbol	EEF1E1
Entrez Gene	9521(Human); 66143(Mouse)
SwissProt	O43324(Human); Q9D1M4(Mouse)

\*AREX continuously optimizes our products. Webpage content may not reflect the latest updates. For inquiries, please contact [info@arexbio.com](mailto:info@arexbio.com) or your local distributor.


\*Clone Number, Reactivity, Source/Host and Clonality can be found in the product name and Key Features section above.

**DATASHEET**


**EEF1E1 Rabbit Polyclonal Antibody**

CAT. NO. APA15521

**DATA**



Western blot analysis of EEF1E1 expression in HeLa (A), mouse brain (B), rat brain (C) whole cell lysates. (Predicted band size: 15; 19 kD; Observed band size: 20 kD)



Immunofluorescent analysis of EEF1E1 staining in L929 cells. Formalin-fixed cells were permeabilized with 0.1% Triton X-100 in TBS for 5-10 minutes and blocked with 3% BSA-PBS for 30 minutes at room temperature. Cells were probed with the primary antibody in 3% BSA-PBS and incubated overnight at 4 °C in a humidified chamber. Cells were washed with PBST and incubated with a AREX® Fluor 594-conjugated secondary antibody (red) in PBS at room temperature in the dark. DAPI was used to stain the cell nuclei (blue).

**STORAGE**

Store at 4°C short term. For long term storage, store at -20°C, avoiding freeze/thaw cycles.

**NOTE**

For Research Use Only. Not for diagnostic, therapeutics, prophylactic or in vivo use.