

DATASHEET

Protocadherin-19 Rabbit Polyclonal Antibody

CAT. NO. APA16426

KEY FEATURES

Target	Protocadherin-19	Source / Host	Rabbit
Reactivity	Human, Mouse	Clonality	Polyclonal
Applications	WB	Conjugation	Unconjugated
Form / Buffer	Liquid in 0.42% Potassium phosphate, 0.87% Sodium chloride, pH 7.3, 30% glycerol, and 0.01% sodium azide.		Storage at -20°C

BACKGROUND

Calcium-dependent cell-adhesion protein.

APPLICATION

To ensure optimal assay performance, AREX recommends conducting reagent titration tailored to each testing system for optimal detection results.

WB	1:500 - 1:2000
----	----------------

*Results are sample-specific. Please refer to your local assay conditions and test parameters for reference.

PRODUCT OVERVIEW


Description	Rabbit polyclonal antibody to Protocadherin-19
Specificity	Recognizes endogenous levels of Protocadherin-19 protein
Antibody Type	Primary antibody
Immunogen	Recombinant fusion protein of human Protocadherin-19. The exact sequence is proprietary.
Purification	The antibody was purified by immunogen affinity chromatography.
Molecular Weight	Predicted: 121; Observed: 170 kD
Form/Buffer	Liquid in 0.42% Potassium phosphate, 0.87% Sodium chloride, pH 7.3, 30% glycerol, and 0.01% sodium azide.
Alternative Names	KIAA1313; Protocadherin-19
Gene Symbol	PCDH19
Entrez Gene	57526(Human); 279653(Mouse)
SwissProt	Q8TAB3(Human); Q80TF3(Mouse)

*AREX continuously optimizes our products. Webpage content may not reflect the latest updates. For inquiries, please contact info@arexbio.com or your local distributor.

*Clone Number, Reactivity, Source/Host and Clonality can be found in the product name and Key Features section above.

DATASHEET**Protocadherin-19 Rabbit Polyclonal Antibody**

CAT. NO. APA16426

DATA

Western blot analysis of Protocadherin-19 expression in HEK293T (A) whole cell lysates.
(Predicted band size: 121; 126 kD; Observed band size: 170 kD)

STORAGE

Store at 4°C short term. For long term storage, store at -20°C, avoiding freeze/thaw cycles.

NOTE

For Research Use Only. Not for diagnostic, therapeutics, prophylactic or in vivo use.